

**Tableau de rechargement  
444 Marlin (11,2 x 55 R)**

PROJECTILE BULLET			ETUI CASE	AMORCAGE PRIMER	POUDRE/POWDER VECTAN			VITESSE 2,5 m VELOCITY		PRESSION PRESSURE		NORMES CIP	
TYPE	POIDS/weight				TYPE	CHARGE		m/s	f/s	bars	psi	LONGUEUR	PRESSION Crusher
	Grammes	grains				Grammes	grains					Maxi Etui en mm	Maxi en bars
SPEER HP n° 4425	12.96	200	Remington	CCI 200	SP7	3.4	52.0	640.0	2100.0	1100.0	15950.0	56.52	3100
SIERRA FPJ n° 8605	14.25	220	Remington	CCI 200	SP7	3.35	51.0	650.0	2133.0	1500.0	21750.0	56.52	3100
SPEER JSP n° 4447	15.55	240	Remington	CCI 200	Tu2000	3.15	49.0	700.0	2297.0	1850.0	26825.0	56.52	3100
SIERRA FPJ n° 8615	16.2	250	Remington	CCI 200	Tu2000	3.15	49.0	700.0	2297.0	2000.0	29000.0	56.52	3100
Hornady FPJ n° 4300	17.17	265	Remington	CCI 200	Tu2000	3.15	49.0	690.0	2264.0	2150.0	31175.0	56.52	3100